

## S1 File. Statistical results and tables.

Variability assessment determined that deviations of the logarithm of specific signal remained larger, while those for the background and non-specific binding were commensurate with one another. The ANOVA results (Table B) showed that only the type of measurement impacts the variability. It was found that wg# and power also affected variability. AIC modeling determined that all of the variables were significant, but the residuals for the uncertainty of the specific binding were significantly larger, even after LPSc, wg#, and power were accounted for. Regression analysis (Table C) showed no significance for any of the analyzed variables (LPSc, wg#, and power), but showed that the uncertainty of the specific binding was greater than four times that of the uncertainty in other types of measurements with a p-value =  $8.77e^{-16}$ . This indicates that the uncertainty in specific binding is significant, but not dependent upon any of the analyzed variables except the inherent variability of LPS itself.

**Table A. ANOVA of variable significance (5%) in relation to logarithm of integrated intensity**

	DF	Sum Sq	Mean Sq	F Value	Pr(>F)
measurement					
type	2	62.804	31.402	278.865	<2.2e-16
LPSc	1	1.266	1.266	11.239	0.00109 <sup>#</sup>
wg#	3	1.306	0.435	3.865	0.0113 <sup>#</sup>
power	1	0.52	0.520	4.616	0.0338 <sup>#</sup>
Residuals	112	12.612	0.113		

<sup>#</sup> indicates numbers with significant p-values for the corresponding coefficient

**Table B. ANOVA of Absolute Value of Residuals**

	DF	Sum Sq	Mean Sq	F Value	Pr(>F)
measurement type	2	2.691	1.346	45.687	3.10E-15 <sup>#</sup>
LPSc	1	0.028	0.028	0.954	0.331
wg#	3	0.113	0.038	1.279	0.285
power	1	0.053	0.053	1.795	0.183
Residuals	112	3.299	0.029		

# indicates numbers with significant p-values for the corresponding coefficient

**Table C. Regression Analysis of Residuals for LPS Concentration Detection**

Coefficients	Estimate	Std. Error	t – value	Pr ( >   t   )
Intercept	-0.06009	0.15355	-0.391	0.6963
LPSc	0.00013	0.00026	0.521	0.6037
wg1*	0.02712	0.05411	0.501	0.6172
wg2*	0.01488	0.08470	0.307	0.7595
wg3*	0.10956	0.05350	2.048	0.0429 <sup>#</sup>
power	0.00070	0.00052	1.34	0.183
mNSB	0.00378	0.04291	0.088	0.93
mSP	0.40259	0.04291	9.383	8.77E-16 <sup>#</sup>
Residual standard error: 0.17160 on 112 degrees of freedom				
Multiple R-squared: 0.4666				
Adjusted R-squared: 0.4332				
F-statistic: 13.99 on 7 and 112 DF				
p-value: 6.21E-13				

\*wg# is a unique identifying number for an individual waveguide

# indicates numbers with significant p-values for the corresponding coefficient